

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** Airoma Cool 270ml AERO-01(Contains:beta-Pinene)

**Other identifiers:** AERO-01

**Unique Formula Identifier (UFI):** WN71-N09E-600U-2613

#### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Aerosol Air Freshener,For Professional use only.

**Uses advised against:** Use only for intended applications

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Hygiene Systems Australia Pty Ltd.

**Company address:** Unit 1,  
2 Logistics Street,  
Yatala,  
QLD 4207,  
Australia

**Contact:** Hygiene Systems Australia Pty Ltd.

**E-Mail address:** australia@hygienesystems.com

**Company phone:** +61 7 3801 8500

#### 1.4 Emergency telephone number

**Emergency phone:** Queensland - Poisons Information Centre (24hrs) - 13 11 26

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Flammable Aerosol, Hazard Category 1  
Eye Damage / Irritation Category 2  
Sensitization - Skin Category 1  
H222, Extremely flammable aerosol.  
H229, Pressurised container: May burst if heated  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.

# SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

## 2.2 Label elements

### Classification under Regulation (EC) No 1272/2008

**Signal word:** Danger

**Hazard statements:** H222, Extremely flammable aerosol.  
H229, Pressurised container: May burst if heated  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.

**Supplemental Information:** EUH208, Contains Cedryl methyl ether, Hexyl salicylate, Linalool, Linalyl acetate, alpha-Hexylcinnamaldehyde, d-Limonene. May produce an allergic reaction.

**Precautionary statements:** P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
P211, Do not spray on an open flame or other ignition source.  
P251, Pressurised container: Do not pierce or burn, even after use.  
P280, Wear protective gloves/eye protection/face protection.  
P302/352, IF ON SKIN: Wash with plenty of soap and water.  
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P410/412, Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



## 2.3 Other hazards

**Other hazards:** Sensitisers declared on a CLP Hazard Label: Cedryl methyl ether, Hexyl salicylate, Linalool, Linalyl acetate, alpha-Hexylcinnamaldehyde, d-Limonene  
Hydrocarbon Concentration %: 6.0400%

## Section 3. Composition / information on ingredients

### 3.2 Mixtures

**Contains:**

| Name | CAS | EC | REACH Registration No. | % | Classification for (CLP) 1272/2008 | Specific Conc. Limits, M-factors and ATEs |
|------|-----|----|------------------------|---|------------------------------------|---|
|      |     |    |                        |   |                                    |   |

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

|  |                                |                                 |  |         |  |                                 |
|--|--------------------------------|---------------------------------|--|---------|--|---------------------------------|
| Ethyl alcohol  | 64-17-5                        | 200-578-6                       |  | 10-<20% | Flam. Liq. 2-Eye Irrit. 2; H225-H319,-   |                                 |
| Isopropyl alcohol                                    | 67-63-0                        | 200-661-7                       |  | 5-<10%  | Flam. Liq. 2-Eye Irrit. 2-STOT SE 3;H225-H319-H336,-   |                                 |
| beta-Pinene  | 127-91-3                       | 204-872-5                       |  | 5-<10%  | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H304-H315-H317-H410,-      | M = 1-M = 1                     |
| Cedryl methyl ether                                  | 67874-81-1, 19870-74-7         | 267-510-5, 243-384-7            |  | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,-  | M = 1                           |
| Linalyl acetate                                      | 115-95-7                       | 204-116-4                       |  | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B;H315-H317,-  |                                 |
| Hexyl salicylate                                     | 6259-76-3                      | 228-408-6                       |  | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H317-H410,-  | M = 1-M = 1                     |
| d-Limonene   | 5989-27-5, 138-86-3, 5989-54-8 | 227-813-5, 205-341-0, 227-815-6 |  | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,- | M = 1                           |
| alpha-Hexylcinnamaldehyde                            | 101-86-0, 165184-98-5          | 202-983-3, 639-566-4            |  | 0.1-<1% | Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400-H411,-   | M = 1-oral: ATE = 3100 mg/kg bw |
| Linalool   | 78-70-6                        | 201-134-4                       |  | 0.1-<1% | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-  | oral: ATE = 2790 mg/kg bw       |
| Phosphoric acid, 2-ethylhexyl ester (Hostaphat MDAH) | 12645-31-7                     | 235-741-0                       |  | 0.1-<1% | Skin Corr. 1B;H314,-   |                                 |

**Substances with Community workplace exposure limits:**

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

| Name                                    | CAS                            | EC                              | REACH Registration No. | %       | Classification for (CLP) 1272/2008   | Specific Conc. Limits, M-factors and ATEs |
|---|--------------------------------|---------------------------------|------------------------|---------|--|---|
| Butane                                  | 106-97-8                       | 203-448-7                       |                        | 20-<50% | Flam. Gas 1-Press. Gas;H220-H280,-   |   |
| Dipropylene glycol (isomer unspecified) | 25265-71-8                     | 246-770-3                       |                        | 1-<5%   | -;-,-  |   |
| Ethyl alcohol                           | 64-17-5                        | 200-578-6                       |                        | 10-<20% | Flam. Liq. 2-Eye Irrit. 2; H225-H319,-   |   |
| Isopropyl alcohol                       | 67-63-0                        | 200-661-7                       |                        | 5-<10%  | Flam. Liq. 2-Eye Irrit. 2-STOT SE 3;H225-H319-H336,-   |   |
| Propylene glycol                        | 57-55-6                        | 200-338-0                       |                        | 5-<10%  | -;-,-  |   |
| beta-Pinene                             | 127-91-3                       | 204-872-5                       |                        | 5-<10%  | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1; H226-H304-H315-H317-H410,-      | M = 1-M = 1                               |
| d-Limonene                              | 5989-27-5, 138-86-3, 5989-54-8 | 227-813-5, 205-341-0, 227-815-6 |                        | 0.1-<1% | Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,- | M = 1                                     |

**Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:**

Not Applicable

**Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:**

Not Applicable

### Section 4. First-aid measures

#### 4.1 Description of first aid measures

- Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
- Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Skin exposure:** IF ON SKIN: Wash with plenty of soap and water.
- Ingestion:** Rinse mouth with water and obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.  
Causes serious eye irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Aerosol Air Freshener, For Professional use only.: Use in accordance with good manufacturing and industrial hygiene practices.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

| Ingredient                              | CAS                                  | EC                                    | Description                                    | Value                  |
|---|--------------------------------------|---------------------------------------|--|------------------------|
| Butane                                  | 106-97-8                             | 203-448-7                             | UK WEL Long term ppm                           | 1450 ppm               |
|   |                                      |                                       | UK WEL Long term mgm3                          | 600 mg/m <sup>3</sup>  |
|   |                                      |                                       | UK WEL Short term ppm                          | 1810 ppm               |
|   |                                      |                                       | UK WEL Short term mgm3                         | 750 mg/m <sup>3</sup>  |
| Dipropylene glycol (isomer unspecified) | 25265-71-8                           | 246-770-3                             | German OEL Long term mgm3                      | 100 mg/m <sup>3</sup>  |
| Ethyl alcohol                           | 64-17-5                              | 200-578-6                             | UK WEL Long term ppm                           | 1000 ppm               |
|   |                                      |                                       | UK WEL Long term mgm3                          | 1920 mg/m <sup>3</sup> |
| Isopropyl alcohol                       | 67-63-0                              | 200-661-7                             | UK WEL Long term ppm                           | 999 ppm                |
|   |                                      |                                       | UK WEL Long term mgm3                          | 400 mg/m <sup>3</sup>  |
|   |                                      |                                       | UK WEL Short term ppm                          | 1250 ppm               |
|   |                                      |                                       | UK WEL Short term mgm3                         | 500 mg/m <sup>3</sup>  |
| Propylene glycol                        | 57-55-6                              | 200-338-0                             | UK WEL Long term ppm                           | 474 ppm                |
|   |                                      |                                       | UK WEL Long term mgm3                          | 150 mg/m <sup>3</sup>  |
| beta-Pinene                             | 127-91-3                             | 204-872-5                             | (CH)-Switzerland_KZGW-Wert 1_mg/m <sup>3</sup> | 224 mg/m <sup>3</sup>  |
|   |                                      |                                       | (CH)-Switzerland_KZGW-Wert 2_ppm               | 40 ppm                 |
|   |                                      |                                       | (CH)-Switzerland_MAK-Wert 1_mg/m <sup>3</sup>  | 112 mg/m <sup>3</sup>  |
|   |                                      |                                       | (CH)-Switzerland_MAK-Wert 2_ppm                | 20 ppm                 |
| d-Limonene                              | 5989-27-5,<br>138-86-3,<br>5989-54-8 | 227-813-5,<br>205-341-0,<br>227-815-6 | German OEL Long term ppm                       | 5 ppm                  |
|   |                                      |                                       | German OEL Long term mgm3                      | 28 mg/m <sup>3</sup>   |
|   |                                      |                                       | German OEL Short term mgm3                     | 112 mg/m <sup>3</sup>  |

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|  |   |
|--|---|
| <b>Physical State/Colour:</b>                                    | Colourless Aerosol  |
| <b>Odour:</b>  | Characteristic  |
| <b>Odour threshold:</b>  | Not determined  |
| <b>Melting point / freezing point:</b>                           | Not determined  |
| <b>Boiling point or initial boiling point and boiling range:</b> | Not determined  |
| <b>Flammability:</b>   | Flammable   |
| <b>Lower and upper explosion limit:</b>                          | Not determined  |
| <b>Flash point:</b>  | Not determined  |
| <b>Auto-ignition temperature:</b>                                | Not determined  |
| <b>Decomposition temperature:</b>                                | Not relevant  |
| <b>pH:</b>   | Not determined<br>Substance/mixture is non-soluble (in water) |
| <b>Kinematic viscosity:</b>                                      | Not determined  |
| <b>Solubility:</b>   | Not determined  |
| <b>Partition coefficient: n-octanol/water (log value):</b>       | Not determined  |
| <b>Vapour pressure:</b>  | 42.47088589 mmHg  |
| <b>Density and/or relative density:</b>                          | Not determined  |
| <b>Relative vapour density:</b>                                  | Not determined  |
| <b>Particle characteristics:</b>                                 | Not determined  |

**9.2 Other information:** None available



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

### Section 10. Stability and reactivity

#### **10.1 Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

#### **10.2 Chemical stability:**

Good stability under normal storage conditions.

#### **10.3 Possibility of hazardous reactions:**

Not expected under normal conditions of use.

#### **10.4 Conditions to avoid:**

Avoid extreme heat.

#### **10.5 Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

#### **10.6 Hazardous decomposition products:**

Not expected.

### Section 11. Toxicological information

#### **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

|   |  |
|---|--|
| <b>Acute Toxicity:</b>                    | Based on available data the classification criteria are not met. |
| Acute Toxicity Oral                       | Not Applicable   |
| Acute Toxicity Dermal                     | Not Applicable   |
| Acute Toxicity Inhalation                 | Not Available  |
| <b>Skin corrosion/irritation:</b>         | Based on available data the classification criteria are not met. |
| <b>Serious eye damage/irritation:</b>     | Eye Damage / Irritation Category 2                               |
| <b>Respiratory or skin sensitisation:</b> | Sensitization - Skin Category 1                                  |
| <b>Germ cell mutagenicity:</b>            | Based on available data the classification criteria are not met. |
| <b>Carcinogenicity:</b>                   | Based on available data the classification criteria are not met. |
| <b>Reproductive toxicity:</b>             | Based on available data the classification criteria are not met. |
| <b>STOT-single exposure:</b>              | Based on available data the classification criteria are not met. |
| <b>STOT-repeated exposure:</b>            | Based on available data the classification criteria are not met. |
| <b>Aspiration hazard:</b>                 | Based on available data the classification criteria are not met. |

#### **Information about hazardous ingredients in the mixture**

Not Applicable

Refer to Sections 2 and 3 for additional information.

#### **11.2 Information on other hazards**

Not Applicable

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01  
**Version:** 6

### Section 12. Ecological information

**12.1 Toxicity:** Not available  
**12.2 Persistence and degradability:** Not available  
**12.3 Bioaccumulative potential:** Not available  
**12.4 Mobility in soil:** Not available  
**12.5 Results of PBT and vPvB assessment:**  
 This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.  
**12.6 Endocrine disrupting properties:** Not Applicable  
**12.7 Other adverse effects:** Not available

### Section 13. Disposal considerations

**13.1 Waste treatment methods:**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

|                             | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | Sub Risk: | 14.4 Packing Group: |
|-----------------------------|-----------------|-------------------------------|-----------------------------------|-----------|---------------------|
| <b>UN Model Regulations</b> | Not classified  | -                             | -                                 | -         | -                   |
| <b>IMDG</b>                 | Not classified  | -                             | -                                 | -         | -                   |
| <b>ADR,RID,ADN</b>          | Not classified  | -                             | -                                 | -         | -                   |
| <b>ICAO TI</b>              | Not classified  | -                             | -                                 | -         | -                   |

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN Model Regulations.  
**14.6 Special precautions for user:** None additional  
**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**  
 Not classified

### Section 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

pH is not applicable for Aerosol  
 SDS Reference No.: SDS\_4254  
 Total % of high VP components (VOC): 31.6%

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

**Concentration % Limits:** EDI 2=37.91% SS 1=16.56% EH C2=38.82% EH C3=3.88%

**Total Fractional Values:** EDI 2=2.64 SS 1=6.04 EH C2=2.58 EH C3=25.76

#### Key to revisions:

Information about hazardous ingredients in the mixture

Workplace exposure limits

#### Key to abbreviations:

| Abbreviation      | Meaning  |
|-------------------|--|
| Aquatic Acute 1   | Hazardous to the Aquatic Environment - Acute Hazard Category 1           |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1       |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2       |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3       |
| Asp. Tox 1        | Aspiration Hazard Category 1   |
| Eye Irrit. 2      | Eye Damage / Irritation Category 2                                       |
| Flam. Liq. 2      | Flammable Liquid, Hazard Category 2                                      |
| Flam. Liq. 3      | Flammable Liquid, Hazard Category 3                                      |
| H225              | Highly flammable liquid and vapour.                                      |
| H226              | Flammable liquid and vapour.   |
| H304              | May be fatal if swallowed and enters airways.                            |
| H314              | Causes severe skin burns and eye damage.                                 |
| H315              | Causes skin irritation.  |
| H317              | May cause an allergic skin reaction.                                     |
| H319              | Causes serious eye irritation.   |
| H336              | May cause drowsiness or dizziness.                                       |
| H400              | Very toxic to aquatic life.  |
| H410              | Very toxic to aquatic life with long lasting effects.                    |
| H411              | Toxic to aquatic life with long lasting effects.                         |
| H412              | Harmful to aquatic life with long lasting effects.                       |
| P210              | Keep away from heat, sparks, open flames and hot surfaces. - No smoking. |
| P233              | Keep container tightly closed.   |
| P240              | Ground/bond container and receiving equipment.                           |
| P241              | Use explosion-proof electrical, ventilating and lighting equipment.      |
| P242              | Use only non-sparking tools.   |
| P243              | Take precautionary measures against static discharge.                    |
| P260              | Do not breathe vapour or dust.   |
| P261              | Avoid breathing vapour or dust.  |

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Airoma Cool 270ml AERO-01

**Version:** 6

|               |  |
|---------------|--|
| P264          | Wash hands and other contacted skin thoroughly after handling.   |
| P271          | Use only outdoors or in a well-ventilated area.  |
| P272          | Contaminated work clothing should not be allowed out of the workplace.   |
| P273          | Avoid release to the environment.  |
| P280          | Wear protective gloves/eye protection/face protection.   |
| P301/310      | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  |
| P301/330/331  | If swallowed: Rinse mouth. Do not induce vomiting.   |
| P302/352      | IF ON SKIN: Wash with plenty of soap and water.  |
| P303/361/353  | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.                       |
| P304/340      | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.                                 |
| P305/351/338  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310          | Immediately call a POISON CENTER or doctor/physician.  |
| P312          | Call a POISON CENTRE or doctor/physician if you feel unwell.   |
| P331          | Do not induce vomiting.  |
| P333/313      | If skin irritation or rash occurs: Get medical advice/attention.   |
| P337/313      | If eye irritation persists: Get medical advice/attention.  |
| P362          | Take off contaminated clothing and wash before reuse.  |
| P363          | Wash contaminated clothing before reuse.   |
| P370/378      | In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  |
| P391          | Collect spillage.  |
| P403/233/235  | Store in a well-ventilated place. Keep container tightly closed. Keep cool.  |
| P403/235      | Store in a well-ventilated place. Keep cool.   |
| P405          | Store locked up.   |
| P501          | Dispose of contents/container to approved disposal site, in accordance with local regulations.                                   |
| STOT SE 3     | Specific Target Organ Toxicity (Single Exposure) Category 3  |
| Skin Corr. 1B | Skin Corrosion / Irritation Category 1B  |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2   |
| Skin Sens. 1B | Sensitization - Skin Category 1B   |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.